


BANDSEAL TYPE SEWER REPAIR,
COUPLING WITH OUTSIDE STAINLESS
STEEL SHEAR RING.

NOTE:

THE NEWLY INSTALLED WYE SHALL BE OF THE SAME MATERIAL AS THE
EXISTING MAIN.

VITRIFIED CLAY (VCP)



MANUFACTURED PVC CLOSURE
COUPLING (NOT BANDED
RUBBER COUPLING)

NOTE:

ALL PVC, PIPE AND FITTINGS SHALL BE SDR 26 AND SHALL HAVE
RUBBER GASKETED JOINTS. SOLVENT WELDED JOINTS SHALL NOT BE
ALLOWED

POLYVINYL CHLORIDE PIPE (PVC)

NOTE:

LATERAL CONNECTION INSTALLATION ON NEWLY INSTALLED PIPE WILL BE
AS DIRECTED BY THE DEPARTMENT OF PUBLIC WORKS.

LOS ALTOS HILLS



CALIFORNIA

TITLE
LATERAL CONNECTION TO EXISTING SEWER MAIN

ADOPTED BY CITY COUNCIL DATE:

1/13/2011

SCALE: NONE

DATE: 1/4/2011

CHK: RC

STANDARD DETAIL

SS-7

26379 FREMONT ROAD, LOS ALTOS HILLS, CA 94022 • Phone: (650) 941-7222