



NOTES:

1. RELATIVE COMPACTION (RC) SHALL MEAN COMPACTION AS DETERMINED BY CALIFORNIA COMPACTION TEST METHOD OR BY ASTM METHODS.
2. ALL BACKFILL SHALL BE PLACED AND COMPACTED IN 6" MAXIMUM LIFTS.
3. CLASS 1 BEDDING AND CLASS 2 AGGREGATE BASE PER SECTION 26 OF THE STATE STANDARD SPECIFICATIONS.

LEGEND:

- ① CLASS 1 BEDDING (3/4" DRAIN ROCK)
- ② NATIVE BACKFILL MATERIAL
- ③ WITHIN TOWN PATHWAYS, USE 6" STEVENS CREEK QUARRY CRUSHER FINES OVER 6" DRAIN ROCK (1/2") OR EQUAL AS APPROVED BY THE CITY ENGINEER. WITHIN SHOULDERS, USE 12" CLASS 2 AGGREGATE BASE, 3/4" MAXIMUM.

LOS ALTOS HILLS



CALIFORNIA

TITLE

BACKFILL DETAIL – SHOULDER/EASEMENT

ADOPTED BY CITY COUNCIL DATE:

1/13/2011

SCALE: NONE

DATE: 1/4/2011

CHK: RC

STANDARD DETAIL

UT-2

26379 FREMONT ROAD, LOS ALTOS HILLS, CA 94022 • Phone: (650) 941-7222